INTERIOR FILM

STRICT SELECTION



SOFT / NATURAL / LUXURY / ARTISTIC



Add natural beauty to your living space and fill your home with warmth and sweetness

Enjoy ultimate luxury
Perform extraordinary interpretation

CONTENTS

FEATURES & ADVANTAGES	002
ECO-FRIENDLY & SAFETY	004
TEST REPORT	005
CAUTIONS FOR INSTALLATIONS	006
PRIMER	007
PATTERNS	008
Wood / Morden	010
Wood / Elegant	020
Wood / Nature	030
Marble Series	049
Fabric & Leather	053
Stone & Sand	058
Cement Series	062
Metal Series	064
Brushed / Metal	066
Brushed / Solid	068
Basic Solid	070
Soft & Glossy	073
Reflex Glossy	074

FEATURES & ADVANTAGES

1-Water-Proof & Moisture-Proof
Water proof, wear resistance cleanable, long service life.

2-Durability
Stable and durable in high temperature, humid and low-temperature environments.

3-Easy to Clean
Smooth surface, bright color, easy maintenance with the cleanliness of the surface.

4-Upgraded Material
Focusing on quality, choosing high-quality raw material, and making reliable products.

5-Flexibility and Conformability
Cutting lines on the contacting paper, easy to cut, freely in shapes and size, excellent work-ability for 3D-shaped form.

6-Air-Free Technology
Easy to operate, air trapped between the film and the substrate exits through specially designed narrow grooves as pressure is applied with the squeegee, with no bubbles after applying.

7-Eco-Friendly Material
All raw material [Pvc film, adhesive, contacting paper], comply with environmental standards.

8-Pressure Sensitive Adhesive
It will cure its optimum bonding strength in just 8-12 hours following the application, this strong adhesive also allows film to be installed in special areas such as shopping malls.

9-Fire Resistance:
Comply with EN 13823 & EN ISO 11925-2, meet Class B – s1, d0.



HEALTH

We creat healthy products for people's living spaces, based on green positioning, integrating low-carbon health into products, and yearning for a better life.

NATURE

The inspiration for product design comes from nature, integrating nature into the product and life.
Through the texture of nature, emotional collisions occur, showcasing the luxurious enjoyment of quality life.

GENERAL NOTE

1-Width & Length:

We package in rolls, 1.2 meters (48") wide and 50 meters (54 yards) long. This enables the film to be applied to most doors and partitions without creating seams.

2-Designability:

Various fashionable colors combined with the latest trends, full of leading technology, update every season.

3-Stable Stock:

Inventory of hundreds of designs including solid, wooden, marble, fabric, cement, and metal series.

4-Customized Colors:

Own modern plants for decorative film manufacturing and pressure sensitive adhesive coating lines.Original printing and embossing cylinders can be developed for customized features and designs.

5-Time & Cost Save

Damages can be easily repaired, further, minimal downtime is required for renovation projects such as elevators, shopping malls, airports, etc. Often, this is the greatest benefit of all as the cost of downtime can be a large part of any renovation.

6-Sustainability

No need to change the existing store fixtures, doors, frames, cabinets elevator doors, using our film can create a new image, minimizing energy consumption.

ECO-FRIENDLY & SAFETY

Indoor Air Quality

All material of our film including pvc film, adhesive and contacting paper, comply with environmental standards.

Meeting the standards of public offices, schools, daycare centers, nursing homes, and commercial spaces for healthy housing.

ITEM		Standard	Results
Heavy Metal	Cd	2mg/KG	None Detected
	Pb	2mg/KG	
	Hg	2mg/KG	
	Cr(VI)	8mg/KG	
Formaldehyde	HCHO	0.05mg/KG	None Detected
Phthalate	DBP	50mg/KG	None Detected
	BBP	50mg/KG	
	DEHP	50mg/KG	
	DIBP	50mg/KG	

Children's Product Safety

All material of our film including pvc film, adhesive and contacting paper meet the safety requirements for harmful chemicals in children's product safety standards.

ITEM		Standard	Results
Hazardous Substances	Sb	2mg/KG	None Detected
	As	2mg/KG	
	Se	5mg/KG	
Flame Retardant	PBBs	1000mg/KG	None Detected
	PBDEs	1000mg/KG	

Fire Safety

Test Method	Parameter	Results	Class
EN 13823: 2020+A1: 2022	$FIGRA_{0.2MJ}$(W/s)	58.8	B-s1,d0
	2020+A1: 2022	0	
	LFS < edge of specimen	Yes	
	THR_{600s}(MJ)	1.0	
	SMOGRA(m^2/s^2)	18.5	
	TSP_{600s}(m^2)	32.5	
	Flaming particles or droplets within 600s (Yes/No); Combustion time, if any burning time (⩽ 10s/ >10s)	No	
EN ISO 11925-2:2020[i]	Fs ⩽ 150 mm within 60s	Yes	
Exposure = 30s	Lgnition of the filter paper within 60s	No	

Stain Resistance

Easily clean off the stains of drink, food, ink, etc. (Marker pen ink stains can be cleaned off by neutral detergent for series of AH301~AH307, AH501~AH508 and NF001~NF008.)



Products Structure



TEST REPORT



Rohs 2.0



NO Formaldehyde



Fire Resistance

CAUTIONS FOR INSTALLATIONS

Installation Environment

1- ONLY for Indoor Usage.

2- **Temperature:** Maintain room temperature at 15-25 degrees.

You can use the air conditioner to meet this temperature.

3- **Humidity/Moisture:** Avoid installing the product when the substrate has moisture, make sure that the substrate is completely dry.

4- **Lighting:** Make sure to install the products under appropriate lighting.

Dark environment makes detection of the substrate imperfection, foreign materials on the substrate, and the formation of bubbles difficult.

5- **Dust:** eliminate dust in the installation environment as much as possible.

6- **Static Electricity:** Spray water mist on the floor if installation takes place where static electricity is likely to build up.

Preparation for Installation

1- **Tools:** Gypsum putty, putty knife, sandpaper/sander, brush, tape measure; cutting board, rolling cutter, metal ruler, primer, squeegee, cutter, dryer.

2- **Check in and take measurements:** Measure numerous surfaces even if they are similar in shape.

3- **Putty:** check and fill uneven areas, and sand narrow sections (bend and groove) completely. Usually, we should putty and sand the substrate at least 2 times.

4- **Primer:** Apply concentrate to bent and sectional areas. Primer: Water 1:1,

it is helpful to apply the primer in the direction of the film grain.

Attention: Cross sections of wood [MDF PB, etc] have a higher rate of absorption, so 2-3 coats of primer are necessary.

Wait until the primer is completely dry before applying **2 or 3** more coats.

5- **Cutting the film:** Cutting the film at least **5cm** longer than the application area on each side. On release paper, large marking is 10 cm, small marking is 1cm.

Attaching the film

1- Tear off the release paper in 10 cm and fold it, place the film where you want to stick it, and press it with your fingers vertically and horizontally for the position.

2- Use the squeegee at a 45-degree angle remove air bubbles and help with adhesion.

From middle to each side, from top to bottom.

3- 45-degree cut on the side and edge place.

Using a squeegee for angles, grooves, and surfaces and using felt for larger surfaces will help the film stick to the surface effectively.

Use the dryer to wrap the film in the special shapes.

4- Cut the extra part with the cutter.

5- Heat the edges with dryer.

6- After attaching, use a squeegee to remove the air bubble again from the middle to both two sides.

7- Keep the environment temperature at 15-25 degrees for 24H-48H for better adhesive.

Cautions after Installation

1- Pressure-sensitive adhesive is designed in a way that adhesive strength as time passes after installation, please note some types of the substrate may be damaged when removing the products for changing.

2- Use commercially available neutral detergent to clean the surface of the product.


3- Attention: If the self-adhesive film was used on acrylic materials, there might come into being bubbles between the under film and the material surface. Please contact the supplier or local franchise to avoid the situation would happen which you are worried about.

PRIMER

Primer Features

Eliminating Dust

Eliminating dust on the wall, improving the adhesive capacity of the film.



Moisture Proof

Cutting of water vapor which will be evaporated out from the wall, prevents the air bubbles.

Flexible adjustments

Seamless adhesive can adjust the position of the film many times when sticking it.

Primer Usage

STEP 1: Applying the putty on the wall and wait for it to become dry naturally.
STEP 2: Applying Primer on the wall and wait for it to become dry naturally.
STEP 3: Applying the PVC decorative self-adhesive film.





Attention: Please stir evenly before use.
We recommend Primer: Water 1:1, you can also adjust according to actual conditions.

PATTERNS

Wood Grain

Wood / Morden		
DY2812	NEW	014
DY2813	NEW	014
DY2814	NEW	014
DY2815	NEW	014
DY2818	NEW	019
DY2819	NEW	019
DY2820	NEW	019
DY2821	NEW	018
DY2822	NEW	018

Wood / Morden		
DY2823	NEW	018
DY2824	NEW	018
DY2825	NEW	018
DY2831	NEW	017
DY2832	NEW	017
DY2833	NEW	017
DY2834	NEW	017
DY2835	NEW	012
DY2836	NEW	012

Wood / Morden		
DY2837	NEW	013
DY2838	NEW	013
DY2839	NEW	013
DY2840	NEW	019
DY2841	NEW	019
DY2842	NEW	019
DY2843	NEW	019
DY2844	NEW	011
DY2845	NEW	011

Wood / Morden		
DY2846	NEW	011
DY2847	NEW	015
DY2848	NEW	015
DY2849	NEW	015
DY2851	NEW	015
DY2855	NEW	019
DY2859	NEW	019
DY2860	NEW	015
DY2861	NEW	019

Wood / Morden		
DY2863	NEW	019
DY2869	NEW	016
DY2870	NEW	016
DY2871	NEW	016
DY2988	NEW	014

Wood / Elegant		
YS2801	NEW	028
YS2802	NEW	028
YS2803	NEW	024
YS2804	NEW	026
YS2805	NEW	029
YS2806	NEW	029
YS2808	NEW	024
YS2809	NEW	029
YS2810	NEW	024

Wood / Elegant		
YS2811	NEW	026
YS2816	NEW	029
YS2817	NEW	028
YS2826	NEW	027
YS2827	NEW	027
YS2828	NEW	029
YS2829	NEW	029
YS2830	NEW	029
YS2850	NEW	025

Wood / Elegant		
YS2852	NEW	025
YS2853	NEW	025
YS2854	NEW	025
YS2856	NEW	023
YS2857	NEW	023
YS2858	NEW	023
YS2862	NEW	022
YS2864	NEW	023
YS2865	NEW	027

Wood / Elegant		
YS2866	NEW	027
YS2867	NEW	027
YS2868	NEW	027
YS2989	NEW	026
YS2990	NEW	029
YS2991	NEW	021
YS2992	NEW	021
YS2993	NEW	024
YS2994	NEW	021

Wood / Elegant		
YS2995	NEW	029
YS2996	NEW	029
YS2997	NEW	029
YS2998	NEW	021
YS2999	NEW	028

Wood / Nature	
SA2807	032
SA2901	031
SA2902	039
SA2903	040
SA2904	039
SA2905	041
SA2906	035
SA2907	035
SA2908	037
SA2909	038
SA2910	039
SA2911	042
SA2912	041
SA2913	042
SA2914	043
SA2915	048
SA2916	038
SA2917	046

Wood / Nature	
SA2918	046
SA2919	048
SA2920	046
SA2921	043
SA2922	038
SA2923	043
SA2924	037
SA2925	037
SA2926	043
SA2927	048
SA2928	048
SA2929	048
SA2930	031
SA2931	031
SA2932	032
SA2933	036
SA2934	036
SA2935	041

Wood / Nature	
SA2936	033
SA2937	038
SA2938	039
SA2939	042
SA2940	043
SA2941	046
SA2942	046
SA2943	046
SA2944	046
SA2945	046
SA2946	048
SA2947	048
SA2948	031
SA2949	032
SA2950	035
SA2951	033
SA2952	040
SA2953	040

Wood / Nature	
SA2954	043
SA2955	043
SA2956	048
SA2957	038
SA2958	046
SA2959	046
SA2960	044
SA2961	048
SA2962	045
SA2963	048
SA2964	043
SA2965	034
SA2966	034
SA2967	048
SA2968	045
SA2969	046
SA2970	047
SA2971	041

Wood / Nature	
SA2972	036
SA2973	040
SA2974	041
SA2975	042
SA2976	040
SA2977	044
SA2978	045
SA2979	038
SA2980	045
SA2981	048
SA2982	036
SA2983	036
SA2984	035
SA2985	036
SA2986	041
SA2987	046

Marble Series

Marble	
SN817	050
SN818	050

Marble	
SN819	051
SN820	051

Marble	
SN821	052

Marble	
SN822	052

Marble	
SN823	052

Fabric & Leather

Fabric Series		Fabric Series		Fabric Series		Fabric Series		Fabric Series	
SE880	053	SE884	054	SE888	055	SE892	056	SE896	057
SE881	054	SE885	054	SE889	055	SE893	057		
SE882	054	SE886	054	SE890	056	SE894	057		
SE883	054	SE887	055	SE891	056	SE895	057		

Stone & Sand

Stone Series		Stone Series		Stone Series		Stone Series		Stone Series	
SN901	059	SN903	060	SN905	059	SN908	060	SN910	061
SN902	059	SN904	060	SN907	060	SN909	061		

Cement Series

Cement		Cement		Cement		Cement		Cement	
AH701	063	AH703	063	AH705	063	AH714	063	AH715	063
AH702	063	AH704	063	AH706	063				

Metal Series

Metal		Metal		Metal		Metal		Metal	
AH301	064	AH303	065	AH305	065	AH307	065	AH309	065
AH302	065	AH304	065	AH306	065	AH308	065		

Brushed Series

Brushed / Metal		Brushed / Metal		Brushed / Metal		Brushed / Metal		Brushed / Metal	
AH501	067	AH503	067	AH505	067	AH507	067	AH508	067
AH502	067	AH504	067	AH506	067				

Brushed / Solid		Brushed / Solid		Brushed / Solid		Brushed / Solid		Brushed / Solid	
AH601	068	AH606	069	AH613	069	AH617	069	AH619	069
AH604	069	AH607	069	AH616	069	AH618	069		
AH605	069	AH608	069						

Basic Solid

Basic Solid		Basic Solid		Basic Solid		Basic Solid		Basic Solid	
SH101	072	SH107	072	SH113	071	SH119	071	SH125	072
SH102	072	SH108	072	SH114	071	SH120	071	SH126	072
SH103	072	SH109	072	SH115	071	SH121	072	SH126	072
SH104	072	SH110	072	SH116	071	SH122	072		
SH105	072	SH111	072	SH117	071	SH123	072		
SH106	072	SH112	071	SH118	071	SH124	071		

Soft & Glossy

Soft & Glossy		Soft & Glossy		Soft & Glossy		Soft & Glossy		Soft & Glossy	
NF001	073	NF003	073	NF005	073	NF007	073	NF009	073
NF002	073	NF004	073	NF006	073	NF008	073	NF010	073

Reflex Glossy

Reflex Glossy		Reflex Glossy		Reflex Glossy		Reflex Glossy		Reflex Glossy	
RG201	074	RG203	074	RG205	074	RG207	074	RG208	074
RG202	074	RG204	074	RG206	074				

Wood / Morden

Size：W1.22m*L50m



DY2846 NEW

Every texture is an
interpretation of a better life.

Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting


Wood / Morden



DY2845 NEW



DY2844 NEW



DY2846 NEW

The inspiration for product design comes from nature, integrating nature into the product and life, generating emotional changes through the texture of nature, and experiencing the luxurious enjoyment of quality life.

Wood / Morden

Size: W1.22m*L50m




DY2835 NEW



DY2836 NEW







DY2837 NEW



DY2838 NEW



DY2839 NEW

Wood / Morden

Size: W1.22m*L50m



DY2988 NEW



DY2814 NEW



DY2813 NEW



DY2812 NEW



DY2815 NEW

We are committed to ecological sustainability, healthy living, and the beauty of nature, which is not only our commitment, but also an improvement in your life and quality. Your choice will make life more exciting.





DY2847 NEW



DY2848 NEW



DY2851 NEW



DY2849 NEW



DY2860 NEW

Our products have high-end quality, high-grade wood grain decorative film, focusing on every detail, from material selection to craftsmanship, providing you with high-quality decorative materials, making your living space more luxurious.

Wood / Morden

Size: W1.22m*L50m



DY2871 NEW



DY2869 NEW



DY2870 NEW



DY2871 NEW

Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting

Wood / Morden



DY2832 NEW



DY2831 NEW



DY2834 NEW



DY2833 NEW



DY2832 NEW

Wood / Morden

Size: W1.22m*L50m



Stylish design, high-grade wood grain decorative film incorporates fashion elements.
It will inject fresh vitality into your space and become an indispensable fashion symbol in your life.



DY2821 NEW



DY2822 NEW



DY2825 NEW



DY2823 NEW



DY2824 NEW



DY2840 III NEW



DY2841 III NEW



DY2820 III NEW



DY2819 III NEW



DY2843 III NEW



DY2859 NEW



DY2863 NEW



DY2842 III NEW



DY2855 NEW



DY2861 NEW



DY2818 III NEW

The high-grade wood grain decorative film adopts advanced technology to ensure product quality, providing you with quality assurance while also bringing a high-quality lifestyle to your home.

Wood / Elegant

Size：W1.22m*L50m



Advanced wood grain decorative film adopts advanced technology to ensure product quality,
While providing you with quality assurance, we also inject a high-quality lifestyle into your home.

Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting

Wood / Elegant



YS2991 III NEW



YS2992 III NEW



YS2994 III NEW



YS2998 III NEW

Wood / Elegant

Size: W1.22m*L50m



YS2862 NEW







YS2856 NEW



YS2857 NEW



YS2864 NEW



YS2858 NEW

Wood / Elegant

Size: W1.22m*L50m





YS2993 NEW



YS2803 NEW



YS2810 NEW



YS2808 NEW

Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting

Wood / Elegant



YS2853 NEW



YS2852 NEW



YS2850 NEW



YS2854 NEW



Wood / Elegant

Size: W1.22m*L50m



YS2811 NEW




YS2989 NEW



YS2804 NEW



YS2811 NEW



YS2826 NEW



YS2827 NEW



YS2865 NEW



YS2866 NEW




YS2868 NEW



YS2867 NEW

Wood / Elegant





YS2817 NEW



YS2801 NEW



YS2999 NEW



YS2802 NEW



YS2990 NEW



YS2995 NEW



YS2816 NEW



YS2996 NEW



YS2997 NEW



YS2806 NEW



YS2829 NEW



YS2828 NEW



YS2830 NEW



YS2805 NEW



YS2809 NEW

Integrating health, nature, and ecology, interpreting a quality of life. The delicate texture structure and unique texture make your home shine with fashion and radiance.

Wood / Nature

Size：W1.22m*L50m

A quality life is about to begin.
The high-grade wood grain wall decoration film integrates the beauty of nature into home, making every wall a work of art.



SA2930

Wood / Nature



SA2930



SA2948



SA2901



SA2931

Wood / Nature

Size: W1.22m*L50m





SA2932



SA2949



SA2807

Wood / Nature



SA2951




SA2936



SA2936





SA2965



SA2966

Wood / Nature


SA2950


SA2950 III



SA2906 A

SA2984 A


SA2907 A

Wood / Nature

Size: W1.22m*L50m



SA2985



SA2982



SA2983



SA2972



SA2982



SA2933



SA2934

Wood / Nature

Size: W1.22m*L50m





SA2924



SA2925



SA2908

Every detail is a luxurious enjoyment of quality living, and every touch feels like feeling the tenderness of nature. Make your living space beautiful because of you.





SA2909



SA2937



SA2922 II



SA2979



SA2916



SA2957

Wood / Nature





SA2902 III



SA2904



SA2910



SA2938 III





SA2953



SA2973



SA2976



SA2952



SA2903

Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting

Wood / Nature



SA2986



SA2905



SA2935



SA2912



SA2974



SA2971

Wood / Nature

Size: W1.22m*L50m





SA2975



SA2939



SA2911



SA2913

Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting

Wood / Nature



SA2914



SA2954



SA2926



SA2955



SA2940



SA2923



SA2921



SA2964

Wood / Nature

Size: W1.22m*L50m





SA2977



SA2960

Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting





SA2980



SA2962



SA2978



SA2968

Wood / Nature

Size: W1.22m*L50m



SA2969



SA2945



SA2918



SA2944



SA2920



SA2987



SA2917



SA2941



SA2942



SA2943



SA2959



SA2958

Wood / Nature





SA2970 III

Inheriting classics, the high-grade wood grain decorative film injects traditional charm into your home with its classic design and eternal fashion, allowing classics to radiate new vitality in modern homes.

Wood / Nature

Size: W1.22m*L50m



SA2915



SA2956



SA2967



SA2919



SA2927



SA2961



SA2946



SA2981



SA2963



SA2928




SA2929



SA2947

Marble Series



Decorative film allows the wall to breathe naturally and fills life with art.

Marble Series

Size: W1.22m*L50m



SN817



SN818

As innovators in wall decoration, we take inspiration from nature and skillfully combine aesthetics with art to create a unique and vibrant living space for you.

Marble Series






SN819



SN820

Marble Series

Size: W1.22m*L50m



SN821





SN822




SN823

Fabric & Leather



SE880

The decorative film is made of environmentally friendly materials, allowing you to immerse yourself in a healthy ecology. Create a fresh and natural living environment for your home, making every breath full of pure breath.



SE880

Fabric & Leather

Size：W1.22m*L50m



SE881



SE882



SE883



SE884



SE885



SE886

Fabric & Leather





SE887



SE888




SE889

Fabric & Leather

Size: W1.22m*L50m



SE890



SE890



SE891




SE892





SE893



SE894



SE895



SE896

Stone & Sand


Size：W1.22m*L50m




SN901

Elegant taste, the decorative film injects classic and noble elements into your home, exuding a noble temperament in every corner, achieving extraordinary taste in life.

Stone & Sand



SN901



SN902




SN905

Stone & Sand

Size: W1.22m*L50m



SN903



SN903




SN904



SN907



SN908



SN909




SN910



SN910

Cement Series

Size：W1.22m*L50m



Cement Series



AH701



AH702




AH703



AH704



AH705



AH706



AH714



AH715

Metal Series

Size：W1.22m*L50m



AH301

Metal Series





AH302



AH303



AH304



AH306



AH307



AH309




AH308




AH305

Brushed / Metal

Size：W1.22m*L50m



Brushed / Metal




AH501



AH502



AH503



AH504



AH505



AH506



AH507



AH508

Brushed / Solid

Size：W1.22m*L50m



Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting

Brushed / Solid



AH606



AH616



AH617



AH604



AH618



AH607



AH619



AH605



AH608



AH613



AH613

Basic Solid

Size：W1.22m*L50m

Natural and healthy, the decorative film is based on nature, creating an ecological space close to nature for your home, making your living more comfortable and pleasant.



SH102

Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting

Basic Solid



SH112



SH113



SH114



SH115



SH116



SH117



SH118



SH119



SH120



SH124



SH124


Basic Solid

Size: W1.22m*L50m

SH101


SH102


SH103


SH123


SH125


SH104


SH105


SH106


SH107


SH108


SH109


SH110


SH126


SH127


SH111


SH121


SH122



Soft & Glossy


NF008

NF001


NF002


NF003


NF004


NF005


NF006


NF007


NF008


NF009

NF010

Reflex Glossy

Size：W1.22m*L50m



RG201

RG202

RG203

RG204

RG205

RG206

RG207

RG208

Eco Friendly | Water Proof | Scratch Resistance | Material Upgraded | Adhesive Seamless | Easy Cutting

Reflex Glossy



